



Impact Holdings (Pty) Ltd Trading as

Impact Meter SERVICES DIENSTE

REG. NO. 2002/023813/07

Head Office / Hoof Kantoor
Silver Well Retail & Office Park,
First Floor, Office 10-22, Graham Road, Pretoria East
Tel: 0860 222 677 Fax/Faks: (012) 809 3506

Centurion Branch/Tak
3 Equity Estate, Charles De Gaulle Crescent,
Highveld, Centurion
Tel: (012) 665 4520 Fax/Faks: (012) 665 4521

Sinoville Branch/Tak
Sinoville Centre/Sentrum, Shop/Winkel 10
Marija Street, Sinoville
Tel: (012) 567 4870 Fax/Faks: (012) 567 6194

Postal Address/ Pos Adres: Postnet Suite 57, Private Bag X37, Lynnwood Ridge, 0040 Web Page/Blad : www.amps.co.za E-Mail/Pos: Impact@amps.co.za

Discontinuation of Services / Afsluiting van Dienste

Please Note: This form must be completed only if you are moving to another premises where the electricity / water accounts are not administrated by Impact Meter Services.

Neem Kennis: Hierdie vorm moet slegs voltooi word indien u na 'n ander perseel verhuis waar die elektrisiteit/waterrekening nie deur Impact Meter Dienste gadministreer word nie.

Customers Information / Kliënt Besonderhede

Name / Naam: _____

ID No / Nr: _____

Current electricity acc Ref No.
Huidige elektrisiteitsrek Verw. Nr:

Tel: (W) _____ (Cell / Sel) _____

Next of Kin / Naasbestaande *Name:* _____ *Tel No:* _____
Naam: _____ *Tel Nr:* _____

Vacating Address: _____
Ontruimings Adres: _____

Please Note: Where electricity supply must be discontinued Let Asb: Waar elektrisiteit afgesluit moet word.

Date for electricity supply to be **discontinued at current address:**

Datum wat elektrisiteitsdiens by **huidige perseel afgesluit moet word:** *** _____

NB!! Whilst all efforts are made to disconnect the electricity supply on this date, it is not always possible to do so. Please ensure that all circuit breakers in the distribution board are switched off before you finally vacate so as to prevent any further electricity consumption for your account.

LW!! Alhoewel ons streef om die elektrisiteitstoevoer op die bg datum te beëindig, is dit nie altyd moontlik nie. Maak asb seker dat alle skakelaars in die distribusiebord afgeskakel is voordat u die perseel finaal verlaat, om sodoende onnodige elektrisiteitsverbruik vir u rekening te voorkom.

Forwarding Address: _____

Toekomstige Adres : _____

Please Note: Your final account will be posted to this address Let Asb: U Finale rekening sal aan hierdie adres versend word.

DEPOSIT REFUNDS: A final reading of the electricity meter will be taken after you have vacated the premises. Your deposit will be credited to your account as a payment and the final account will be posted to the forwarding address supplied above. Should your deposit be insufficient to settle the outstanding balance, your settlement payment must reach us no later than the date indicated on the final account. Should your deposit be in excess of the outstanding balance, the surplus amount will be deposited to the bank account of which details you are to supply here below. Impact Meter Services wishes you all the best for the future!

DEPOSITO TERUGBETALINGS: 'n Finale lesing van die elektrisiteitsmeter sal nadat u die perseel verlaat het, geneem word. U deposito sal dan teenoor die finale rekening verreken word en die faktuur sal na die toekomstige adres soos hierbo verskaf geos word. Sou die deposito onvoldoende wees om die finale rekening te vereffen, moet u asb die uitstaande balans teen die datum wat op die faktuur aangedui word, betaal. Indien daar 'n kredietbalans op u rekening sou wees nadat die deposito teenoor die rekening verreken is, sal dit aan u terugbetaal word na die bankrekening wat se besonderhede u asb hieronder moet verskaf. Impact Meter Dienste wens u alle voorspoed vir die toekoms toe.

Banking Details / Bankbesonderhede

Name of account holder / Rekeninghouer naam: _____

Bank Name / Bank Naam: _____ Branch / Tak: _____

Acc Number / Rek'Nommer: _____ Branch Code / Takkode: _____

Signature / Handtekening _____ Date / Datum: _____

FOR OFFICE USE ONLY / KANTOORGEBRUIK ALLEEN

Final Read:

Date:

Manager Signature: